

SCRATCHEX

Color-Full® formula 5
Flea & Tick Collar For Cats

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON CATS.**

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around cat's neck. Fit collar snug enough to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 1-2 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes.

STORAGE and DISPOSAL: **Storage:** Store in original unopened container away from children. **Disposal:** Do not reuse container or collar. **Dispose of in trash.** If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT

FOR FLEAS:

1. This collar is designed to kill adult fleas. 2. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. 3. Replace collar every 5 months or sooner if needed.

FOR TICKS:

1. Ticks are tougher to kill than fleas and are killed more slowly. 2. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. 4. Replace collar every 5 months or sooner if needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes. Will cause temporary pupillary constriction.* The dust released by this collar is a cholinesterase inhibitor. **NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer.**

Humans: Do not open package until ready to use. Do not allow children to play with this collar. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. **DO NOT USE ON KITTENS UNDER 12 WEEKS OF AGE.** Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If swallowed • Call poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl carbamate that inhibits cholinesterase. *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

For information, or in an emergency, call 1-800-234-2269. Visit our Web site: www.scratchex.com
EPA Reg. No. 2724-275-270 EPA Est. No. 2724-TX-1

 Distributed by Farnam Companies, Inc.; Pet Products Division • P.O. Box 34820 • Phoenix, AZ 85067-4820

©2003, 2009 Farnam Companies, Inc. Made in USA Product Code: 3003152 RM # 300505696 09-2083
Color-Full, Farnam, the Farnam logo, and Scratchex are trademarks of Farnam Companies, Inc.
Central Garden & Pet and its logo are trademarks of Central Garden & Pet Company.



Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

GUARANTEED OR YOUR MONEY BACK
If not satisfied, send used collar and original receipt with purchase price circled to Farnam Companies, Inc., Pet Products Division
P.O. Box 34820 • Phoenix, AZ 85067-4820

COLLAR COLOR:
Crystal Clear

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

KILLS:



Fleas



Ticks

FOR UP TO 5 MONTHS

ACTIVE INGREDIENT:

Propoxur (CAS #114-26-1)..... 10%

OTHER INGREDIENTS:..... 90%

Total..... 100%

**DO NOT ALLOW CHILDREN
TO PLAY WITH THIS COLLAR
CAUTION**

See Precautions on back.

NET WT. .3 OZ. (9g)
contents: 1 collar



SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats



0 39079 03152 3

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

Color-Full® formula 5
Flea & Tick Collar For Cats

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON CATS.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around cat's neck. Fit collar snug enough to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 1-2 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes.

STORAGE and DISPOSAL: **Storage:** Store in original unopened container away from children. **Disposal:** Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT

FOR FLEAS:

1. This collar is designed to kill adult fleas. 2. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. 3. Replace collar every 5 months or sooner if needed.

FOR TICKS:

1. Ticks are tougher to kill than fleas and are killed more slowly. 2. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. 4. Replace collar every 5 months or sooner if needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes. Will cause temporary pupillary constriction.* The dust released by this collar is a cholinesterase inhibitor. **NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer.**

Humans: Do not open package until ready to use. Do not allow children to play with this collar. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. **DO NOT USE ON KITTENS UNDER 12 WEEKS OF AGE.** Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If swallowed • Call poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl carbamate that inhibits cholinesterase. *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

For information, or in an emergency, call 1-800-234-2269. Visit our Web site: www.scratchex.com
EPA Reg. No. 2724-275-270 EPA Est. No. 2724-TX-1

 Distributed by Farnam Companies, Inc.; Pet Products Division • P.O. Box 34820 • Phoenix, AZ 85067-4820

©2003, 2009 Farnam Companies, Inc. Made in USA Product Code: 3003152 RM # 300505698 09-1651
Color-Full, Farnam, the Farnam logo, and Scratchex are trademarks of Farnam Companies, Inc.
Central Garden & Pet and its logo are trademarks of Central Garden & Pet Company.



Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

GUARANTEED OR YOUR MONEY BACK
If not satisfied, send used collar and original receipt with purchase price circled to Farnam Companies, Inc., Pet Products Division
P.O. Box 34820 • Phoenix, AZ 85067-4820

COLLAR COLOR:
Fire Engine Red

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

KILLS:



Fleas



Ticks

FOR UP TO 5 MONTHS

ACTIVE INGREDIENT:

Propoxur (CAS #114-26-1)..... 10%

OTHER INGREDIENTS:..... 90%

Total..... 100%

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR CAUTION


See Precautions on back.

NET WT. .3 OZ. (9g)
contents: 1 collar



SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats



0 39079 03152 3

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

Color-Full® formula 5
Flea & Tick Collar For Cats

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON CATS.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around cat's neck. Fit collar snug enough to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 1-2 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes.

STORAGE and DISPOSAL: **Storage:** Store in original unopened container away from children. **Disposal:** Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT

FOR FLEAS:

1. This collar is designed to kill adult fleas. 2. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. 3. Replace collar every 5 months or sooner if needed.

FOR TICKS:

1. Ticks are tougher to kill than fleas and are killed more slowly. 2. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. 4. Replace collar every 5 months or sooner if needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes. Will cause temporary pupillary constriction.* The dust released by this collar is a cholinesterase inhibitor. **NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer.**

Humans: Do not open package until ready to use. Do not allow children to play with this collar. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. **DO NOT USE ON KITTENS UNDER 12 WEEKS OF AGE.** Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If swallowed • Call poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl carbamate that inhibits cholinesterase. *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

For information, or in an emergency, call 1-800-234-2269. Visit our Web site: www.scratchex.com
EPA Reg. No. 2724-275-270 EPA Est. No. 2724-TX-1

 Distributed by Farnam Companies, Inc.; Pet Products Division • P.O. Box 34820 • Phoenix, AZ 85067-4820

©2003, 2009 Farnam Companies, Inc. Made in USA Product Code: 3003152 RM # 300505695 09-2086
Color-Full, Farnam, the Farnam logo, and Scratchex are trademarks of Farnam Companies, Inc.
Central Garden & Pet and its logo are trademarks of Central Garden & Pet Company.



Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

GUARANTEED OR YOUR MONEY BACK

If not satisfied, send used collar and original receipt with purchase price circled to Farnam Companies, Inc., Pet Products Division
P.O. Box 34820 • Phoenix, AZ 85067-4820

COLLAR COLOR:
Lime Green

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

KILLS:



Fleas



Ticks

FOR UP TO 5 MONTHS

ACTIVE INGREDIENT:

Propoxur (CAS #114-26-1)..... 10%

OTHER INGREDIENTS:..... 90%

Total..... 100%

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR CAUTION
See Precautions on back.

NET WT. .3 OZ. (9g)
contents: 1 collar



SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats



0 39079 03152 3

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

Color-Full® formula 5
Flea & Tick Collar For Cats

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON CATS.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around cat's neck. Fit collar snug enough to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 1-2 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
4. May be used in addition to regular collar. Replace collar when effectiveness diminishes.

STORAGE and DISPOSAL: Storage: Store in original unopened container away from children. Disposal: Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT

FOR FLEAS:

1. This collar is designed to kill adult fleas. 2. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months. 3. Replace collar every 5 months or sooner if needed.

FOR TICKS:

1. Ticks are tougher to kill than fleas and are killed more slowly. 2. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed. 4. Replace collar every 5 months or sooner if needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes. Will cause temporary pupillary constriction.* The dust released by this collar is a cholinesterase inhibitor. **NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer.**

Humans: Do not open package until ready to use. Do not allow children to play with this collar. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. **DO NOT USE ON KITTENS UNDER 12 WEEKS OF AGE.** Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If swallowed • Call poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.

NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl carbamate that inhibits cholinesterase. *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

For information, or in an emergency, call 1-800-234-2269. Visit our Web site: www.scratchex.com
EPA Reg. No. 2724-275-270 EPA Est. No. 2724-TX-1

 Distributed by Farnam Companies, Inc.; Pet Products Division • P.O. Box 34820 • Phoenix, AZ 85067-4820

©2003, 2009 Farnam Companies, Inc. Made in USA Product Code: 3003152 RM # 300505697 09-2085
Color-Full, Farnam, the Farnam logo, and Scratchex are trademarks of Farnam Companies, Inc.
Central Garden & Pet and its logo are trademarks of Central Garden & Pet Company.



Color-Full® formula 5 Flea & Tick Collar For Cats

SCRATCHEX

GUARANTEED OR YOUR MONEY BACK
If not satisfied, send used collar and original receipt with purchase price circled to Farnam Companies, Inc., Pet Products Division
P.O. Box 34820 • Phoenix, AZ 85067-4820

COLLAR COLOR:
Ocean Blue

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats

KILLS:



Fleas



Ticks

FOR UP TO 5 MONTHS

ACTIVE INGREDIENT:

Propoxur (CAS #114-26-1)..... 10%

OTHER INGREDIENTS:..... 90%

Total..... 100%

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR CAUTION

See Precautions on back.

NET WT. .3 OZ. (9g)
contents: 1 collar



SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats



0 39079 03152 3

SCRATCHEX

Color-Full® formula 5 Flea & Tick Collar For Cats